INDIAN INSTITUTE OF TECHNOLOGY KANPUR INSTITUTE WORKS DEPARTMENT ELECTRICAL & AIR-CONDITIONING DIVISION

No. 30/AC/EE/2021/ 203

Dated 17-11-2021

QUOTATION NOTIC	E
-----------------	---

١	/	/	100	3												•	•								•					
						•									•			•												
		•																								•				
										٠				٠						٠		-	-	8						

Sealed quotations are invited from the empanelled contractor by the undersigned on behalf of the Director, IIT Kanpur for "Providing and fixing data point for CCTV in Mess area at Hall-2." As per enclosed Bill of Quantity/ overleaf, so as to reach in this office on or before 24-1-222 upto 3.00 PM and the quotation will be opened on the same day at 3.30PM in the presence of quotationers or their representative who want to be present.

The terms and conditions of the quotation are as under:

- 1. The quotations should be submitted in a properly sealed envelop, addressed to the undersigned. The enquiry nos. and date should invariably quoted on the top of the envelop.
- 2. The time allowed for carrying out the above noted work is 21(Twenty One) Days.
- 3. The rates quoted should be exclusive of GST, no other tax is payable except GST. GST shall be applicable as per Govt. norms..
- 4. Security @ 7.5% shall be deducted from the bills which shall be released on successful completion of defect liability period of six months.
- 5. The estimated cost of quotation is Rs.106952/-. The required earnest money of Rs. 2140/- is to be submitted in the form of FDR pledged in favour of the Director, IIT Kanpur alongwith the quotation. The earnest money of the unsuccessful quotationers will be returned within one month's time.
- 6. The quotations shall remain valid for 90 days from the date of opening.
- Income tax will be recovered as per notification of Government from the bill and the amount so recovered will be deposited in the State Bank of India at the credit of the firm.
- 8. The earnest money/Security deposit will be regulated as per the norms of C.P.W.D.
- 9. The Institute reserves the right of accepting or rejecting any quotations without assigning any reason thereof.
- 10. The material should be used as per approved list of make.

QUOTATION

Sub: Providing and fixing data point for CCTV in Mess area at Hall-2.

S.N.	Description	Qty.	Unit	Rate (Rs.) Words & Fig.	Amount
1	Supplying and drawing following sizes of FR PVC insulated copper conductor, single core cable in the existing surface/ recessed steel / PVC conduit as required.				
a)	3 X 1.5 Sq.mm	75	Mtrs.		
2	Supplying and fixing following modular switch/ socket on the existing modular plate and switch box including connections but excluding modular plate etc. as required.				
a)	5/6 Amp one way swicth	1	No.		
b)	3 Pin 5/6 Amp. Socket outlet	1	No.		
3	Fixing of PVC/MS box of any size on surface/recessed including rag bolts etc. Complete as required.	25	Nos.		
5	Providing and fixing on surface with screw of size 32 mm x 12.5 mm. DLP mini trunking system with independent cover as reqd. Providing and fixing accessories for following size of DLP mini trunking systems.	225	Mtrs.		
a)	following size of DLP mini trunking system as reqd. (32 mm x 12.5 mm) Flat Junction	10	Nos.		
	Changeable flat angle	40	Nos		
c)	Changeable internal/External angle	40	Nos.		
d)	End cap left or right	5	Nos.		
6	Providing & fixing of size 32 mm x 20 mm. DLP mini trunking system with independent cover as reqd.	100	Mtrs		

S.N.	Description	Qty.	Unit	Rate (Rs.) Words & Fig.	Amount
7	Providing & fixing accessories for following size of DLP mini trunking system as reqd. (32 mm x 20 mm.)		-		
a)	Flat junction	5	Nos.		
b)	Changeable flat angle	20	Nos.		
c)	Changeable internal /External angle	20	Nos.		
d)	End cap left or right	5	Nos.		
8	Providing & fixing of following size of DLP trunking on surface with suitable plug & screws as reqd. (105 mm x 50 mm)	25	Mtrs.		
9	Providing & fixing of accessories for following size of DLP trunking system as reqd. (105 mm x 50 mm.)				
a)	Flexible cover for 85 mm width	25	Mtr		
b)	End Caps	2	Nos.		
c)	Base Joint	25	Nos.		
d)	Joint for 85 mm width cover	15	Nos.		
e)	Flat junction	2	Nos.		
f)	Flat angle	5	Nos.		
g)	Internal angle adjustable from 80 - 100	5	Nos.		
h)	External angle adjustable from 60 - 120	50	Nos.		

S.N.	Description	Qty.	Unit	Rate (Rs.) Words & Fig.	Amount
6	Drawing of RG-6 cable /network cable/wiring cable/telephone cable in existing surface / concealed conduits reqd.	800	Mtrs.		
	Total- Rs.				

अधिशाषी अमियंता (वा०) B.E. (A.C.) सं०नि०वि०, मा०प्री० संस्थान, कानपुर I W.D. I.I.T Kanpur