QUOTATION

Sub Providing and fixing 5 A & 15 A power points, net points, light fittings etc. at WLE 303A.

SL N	o. DESCRIPTION	QTY	UNIT RATE AMOUN (In words & Figure)
1	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/ recessed steel/ PVC conduit as required.		
a	3 x 1.5 sq. mm	20.00	Metre
b	3 x 2.5 sq. mm	95.00	Metre
С	3 x 4 sq. mm	40.00	Metre
2	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as required.		
a	5/6 A switch	42.00	No.
b	15/16 A switch	18.00	No.
c	3 pin 5/6 A socket outlet	32.00	No.
d	6 pin 15/16 A socket outlet	18.00	No.
3	Supplying and fixing following size/ modules, Gl box alongwith modular base & cover plate for modular switches in recess etc. as required.		
a	12 Module (200mmX150mm)	2.00	No.
4	Supplying and fixing following Modular base & cover plate on existing modular metal boxes etc. as required.	*	
a	3 Module	14.00	No.
b	6 Module	18.00	No.

L No	DESCRIPTION	QTY	UNIT	RATE (In words & Figure)	AMOUNT
5	Supplying and fixing 20 A, 240 V, SPN Industrial type socket outlet, with 2 pole and earth, metal enclosed plug top alongwith 20 A "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required.	2.00	No.		
6	Supply and fixing of 105 x 50 mm DLP trunking white-system but without cover and partion etc. as required complete.	30.00	Meter		
7	Supply and fixing of following accessories suitable for $105~\text{mm} \times 50~\text{mm}$ size plastic trunking white system.				
a	85 mm flexible cover	27.00	Meter		
b	End cap	6.00	Nos.		
C	Internal angles- adjustable from 80°-100°	4.00	Nos.		
d	flat angles	4.00	Nos.		
e	separation partitions	20.00	Meter		
f	Joints for 85mm width cover	14.00	Nos.		
g	base joints	28.00	Nos.		
8	Laying UTP cable enhanced cat 5/cat 6 cable in existing steel conduit pipe/GI pipe/ raceway / RCC pipe as reqd. the cost shall also include numbering of networking wire from room to rack as reqd. (wire will be supplied by dept)	450.00	Meter		
	Fixing of RJ-45 modular box with cover plate or I/o box for internet on surface/ recessed cutting the wall making good the same as required. (box and cover plate will be supplied by dept.)	18.00	Nos.		

SL No	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
				(In words & Figure)	
10	Supply and fixing of following LED light fixture with efficiency >100 lumen/ watt, P.F. >0.95, THD<10%, Electronic driver, LED lamp, reflector, diffusser, MS body/housing holder etc. complete with all fixing accessories and lamp as required complete.		green.		
a	36 watt recess mounting LED light fixture 600 x 600 mm	6.00	Nos.		
b	36 watt surface mounting LED light fixture 300 x 1200 mm	3.00	Nos.		
11	Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required.				
a	Fan regulator socket type	4.00	Nos.		
	Total Rs.				-

अधिकारी अभियास (जिन) P. E. (Elect.) संत्रिकवित, जान्योत संस्थान, कानपुर I.W.D., I.I.T., Kanpur