INDIAN INSTITUTE OF TECHNOLOGY KANPUR INSTITUTE WORKS DEPARTMENT ELECTRICAL & AIR-CONDITIONING DIVISION

No. 03 /AC/EE/2022/ 03

Dated 01-04-2022

QUOTATION	NOTICE
-----------	--------

I	V	/	/	5	3			,		•			•		•		•										•				
							•		 		•																			 	

The terms and conditions of the quotation are as under:

- 1. The quotations should be submitted
- 2. in a properly sealed envelop, addressed to the undersigned. The enquiry nos. and date should invariably quoted on the top of the envelop.
- 3. The time allowed for carrying out the above noted work is 28(Twenty Eight) Days.
- The rates quoted should be exclusive of GST, no other tax is payable except GST. GST shall be applicable as per Govt. norms..
- Security @ 6% shall be deducted from the bills which shall be released on successful completion of defect liability period of six months.
- 6. The estimated cost of quotation is Rs.123903/-. The required earnest money of Rs. 2478/- is to be submitted in the form of FDR pledged in favour of the Director, IIT Kanpur alongwith the quotation. The earnest money of the unsuccessful quotationers will be returned within one month's time.
- 7. The quotations shall remain valid for 90 days from the date of opening.
- 8. Income tax will be recovered as per notification of Government from the bill and the amount so recovered will be deposited in the State Bank of India at the credit of the firm.
- 9. The earnest money/Security deposit will be regulated as per the norms of C.P.W.D.
- 10. The Institute reserves the right of accepting or rejecting any quotations without assigning any reason thereof.
- 11. The material should be used as per approved list of make.

QUOTATION

Sub: Providing and Fixing DLP trunking for sound system wires & communication wire at stage and sitting area of OAT in NEW SAC Building.

S.N.	Description	Qty.	Unit	Rate (Rs.) Words & Fig.	Amount
1	Supplying and drawing following sizes of FR PVC insulated copper conductor, single core cable in the existing surface/ recessed steel/ PVC conduit/ PVC truncking as required.				
a)	3 x 6 sq. mm	5	Mtr.		
2	Supplying and fixing of following sizes of medium class PVC conduit along with accessories in surface/recess including cutting the wall and making good the same in case of recessed conduit as required.				
a)	32 mm	5	Mtr.		
3	Supplying and fixing metal box of following sizes (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover in front including painting etc. as required.				
a)	180 mm X 100 mm X 60 mm deep	2	Each		
a)	250 mm X 300 mm X 100 mm deep	1	Each		
4	Providing and fixing casing and capping after removing old defective and dameged wood batten including dismantling of betten and wire & relaying of wires as required complete.				
a)	20 x 12 mm	5	Mtr.		
b)	25 x 16 mm	5	Mtr.		
c)	32x 16 mm	15	Mtr.	A. 4	
5	Fixing of PVC/MS box of any size on surface/recessed including rag bolts etc. Complete as required.	10	Nos.		
6	Providing and fixing on surface with screw of size 32 mm x 12.5 mm. DLP mini trunking system with independent cover as reqd.	30	Mtrs.		

S.N.	Description	Qty.	Unit	Rate (Rs.) Words & Fig.	Amount
7	Providing and fixing accessories for following size of DLP mini trunking system as reqd. (32 mm x 12.5 mm)				
a)	Flat Junction	5	Nos.		
b)	Changeable flat angle	10	Nos		
c)	Changeable internal/External angle	30	Nos.		
d)	End cap left or right	5	Nos.		
8	Providing & fixing of size 32 mm x 20 mm. DLP mini trunking system with independent cover as reqd.	20	Mtrs		
9	Providing & fixing accessories for following size of DLP mini trunking system as reqd. (32 mm x 20 mm.)				
a)	Flat junction	5	Nos.		
b)	Changeable flat angle	10	Nos.		
c)	Changeable internal /External angle	10	Nos.		
d)	End cap left or right	2	Nos.		
10	Providing & fixing of following size of DLP trunking on surface with suitable plug & screws as reqd. (105 mm x 50 mm)	90	Mtrs.		
11	Providing & fixing of accessories for following size of DLP trunking system as reqd. (105 mm x 50 mm.)				
a)	Flexible cover for 85 mm width	90	Mtr		4
b)	End Caps	6	Nos.		
c)	Base Joint	90	Nos.		
d)	Joint for 85 mm width cover	45	Nos.		
e)	Flat junction	2	Nos.		

S.N.	Description	Qty.	Unit	Rate (Rs.) Words & Fig.	Amount
f)	Flat angle	4	Nos.		
g)	Internal angle adjustable from 80 - 100	2	Nos.		
h)	External angle adjustable from 60 - 120	2	Nos.		
12	Drawing of RG-6 cable /network cable/wiring cable/telephone cable in existing surface / concealed conduits reqd.	500	Mtrs.		
13	Supplying and fixing 3 mm thick phenolic	100	Sq.Inch		
	laminated sheet on existing board with brass screw and cup washer etc. complete as required.				
14	Providing and laying and fixing dia. G.I. pipe (medium class) in ground complete with G.I. fitting including trenching (75 mm deep) and re-filling etc as required.				
a)	32 mm	15	Mtr.		
15	Earthing with G.I. earth pipe 4.5 metre long, 40 mm dia including accessories, and providing masonry enclosure with cover plate having locking arrangement and watering pipe etc. with charcoal/ coke and salt as required.	1	Each		
16	Supplying and laying 25 mm X 5 mm G.I strip at 0.50 metre below ground as strip earth electrode, including connection/ terminating with G.I. nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm).	20	Mtrs.		
17	Providing and fixing 6 SWG dia G.I. wire on surface or in recess for loop earthing as required.	10	Mtrs.	· why	4.7
	Total Rs.				Y ,

अधिशाषी अभियंता (वा०) E.E. (A.C.) सं०नि०वि०, माठाने० संस्थान, कानपुर I W.D., LLT Kanpur