QUOTATION

Sub:- Repairing & replacement of defective switch/ socket, LED fitting etc. At Visitor Hostel-1 as per enclosed complaints at IIT Kanpur.

S.No.	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
1	Supply and fixing of following LED light fixture with efficiency >100 lumen/ watt, P.F. >0.95, THD<10%, Electronic driver, LED lamp, reflector, diffusser, MS body/housing holder etc. complete with all fixing accessories and lamp as required complete.			(in words & Figures)	
1.1	1 X 20W Box type LED tube with fitting	15.00	Nos.		
1.2	12 watt surface mounting LED light fixture	4.00	Nos.		
1.3	30/32 watt surface mounting LED light fixture 300 x 1200 mm	3.00	Nos.		
1.4	7 watt surface mounting LED light fixture	15.00	Nos.		
1.5	24W COVE GLOW LED strip	2.00	Nos.		
2	Supply fixing erection of wall bracket /ceiling fittings of all sizes and shapes containing upto two GLS lamps per fitting, complete with all accessories including connection etc. as required. (Without Lamp)				
2.1	Wall bracket	1.00	Nos.		
	Supplying and fixing, following LED street light luminaries with pressure die cast aluminium IP65 housing, driver etc. complete with all accessories as required.				
3.1	25 Watt LED street light luminaries	2.00	Nos.		
3.2	45 Watt LED street light luminaries	3.00	Nos.		
	Supply, installation, testing and commissioning of following CLF/LED/GLS lamp in existing fitting as required complete.	8€?			
4.1	28 watt FL tube light	3.00	Nos.		
4.2	20Watt. LED lamp	14.00	Nos.		

S.No.	DESCRIPTION	QTY	UNIT	RATE (in words & Figures)	AMOUNT
5	Supplying, fixing, connecting and commissioning electronic ballast suitable for following lamps in existing fitting as reqd.			in notes a right soft	
5.1	28/36 watt.	3.00	Nos.	p==	
6	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/recessed steel/ PVC conduit as required.				
6.1	3 x 1.5 Sq.mm	80.00	Mtr.		
7	Supplying and fixing following piano type switch /socket on existing switch box/cover I/c connection etc as reqd.				
7.1	2 way 5/6 amp switch	2.00	Nos.		
8	Supply, fixing, following modular type switch / socket on existing modular plate & switch box including connectins but excluding modular plate etc. as reqd.				
8.1	5/6 Amp switch	4.00	Nos.		
8.2	15/16 Amp. switch	5.00	Nos.		
8.3	3 Pin 5/6 Amp. socket outlet	2.00	Nos.		
8.4	6 Pin 15/16 Amp. socket outlet.	5.00	Nos.		
8.5	Fan regulator socket type rotary step	1.00	Nos.		
	Supplying and fixing 3 pin, 5 amp. Ceiling rose on the existing junction box/ wooden block including connection etc. as reqd.	2.00	Nos.		
	Supplying and fixing single pole blanking plate in the existing MCB DB complete etc. as required.	50.00	Nos.		
	Supplying, installation DLP mini- trunking 32mm x 12.5mm and accessories white-system with independent cover- without central partion etc. as reqd.				
	Mini- trunking	75.00	Meter		

S.No.	DESCRIPTION	QTY	UNIT	RATE	AMOUNT
				(in words & Figures)	
11.2	Internal/ external angle	10.00	Nos.		
11.3	Flat junction	2.00	Nos.		
11.4	Flat angle	10.00	Nos.		
12	Supplying and fixing of 32 mm dia X 2.00 metres long G.I. pipe (medium class) bracket for mounting of fluorescent / HPMV / HPSV street light fitting on pole including bending the pipe to the required shape, 2 nos 40 mm X 3 mm flat iron clamps with nuts, bolts and washer, painting the flat iron with primer and finish paint etc. as required.	3.00	Nos.		
13	Repairing , cleaning, testing & commissioniong box /industiral type /decorative type fitting,/ switch board I/c replace- ment of all parts if reqd.	10.00	Nos.		
14	Supply and fixing testing ,commissioning of Analogue Time Switch Daily programme with Vertical Dial N/O Contact, Minimum switching time: 15 minutes. Setting etc. as required complete.				
14.1	1 output per phase and suitable for single phase supply	2.00	Nos.		

Total Rs.

अधिकारी अमिला (गि०)/हर (हिन्छ) संगतिनी। भाग और संस्थान कानपुर I.W.D., I.I.T. Kannur