QUOTATION

Subjec Repairing & replacement of defective lighting, switch/ socket, casing & capping, distribution boards etc at L17,L8,SL213,WL116,L5 &6,FB281,FB469,ACES205D,SL114,Hydrauliclab,WLE302,FB201,ACES105,Library,BSBE LAB-7,SL206,BSBE LAB-14,PSEUDO Dynamics,FB101B,WL214,WL208,DOSA,FB567,WL134, etc as per enclosed complaints at IIT Kanpur.

SL No	. DESCRIPTION	QTY	UNIT	RATE	AMOUNT
		5278 17		(In words & Figures)	ANIOUNT
1	Supplying and drawing following sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/recessed steel/ PVC conduit as required.				
a	3 x 1.5 sq. mm	50.00	Metre		
b	3 x 4 sq. mm	26.00	Metre		
	Supplying and drawing following pair 0.5 mm dia FRLS PVC insulated annealed copper conductor, unarmored telephone cable in the existing surface/ recessed steel/ PVC conduit as required.				
·a	2 Pair	34.00	Metre		
	Supplying and fixing following piano type switch/ socket on the existing switch box/ cover including connections etc. as required.				
a	5/6 amps switch	2.00	No.		
b	15/16 A switch	3.00	No.		
c 2	3 pin 5/6 A socket outlet	4.00	No.		
d (5 pin 15/16 A socket outlet	4.00	No.		
s p b	Supplying and fixing following modular switch/ socket on the existing modular plate & switch box including connections but excluding modular plate etc. as equired.	*(
a 5	/6 A switch	12.00	No.		
b 1	5/16 A switch	6.00	No.		

SL	No	DESCRIPTION	QTY	UNIT	RAT		JNT
	С	3 pin 5/6 A socket outlet	10.00	No.	Įm words d	TEU CS/	
C	d	6 pin 15/16 A socket outlet	6.00	No.			
5		Supplying and fixing following Modular base & cover plate on existing modular metal boxes etc. as required.					
a	tŝ	lor 2 Module	2.00	No.			
b	M: 9	3 Module	2.00	No.			
c	Į.	6 Module	7.00	No.			
6	4	S & F following size of steel flexible pipe alongwith the accessories on surface etc as required					
a	2	20 mm	10.00	Meter			
7	i	Supply and fixing of 32 x 20 mm DLP mini- trunking white-system with independent cover etc. as required complete.	69.00	Meter			
8	r	cocating fault in wiring rectifying emoving & restoring supply the same & naking good the damages etc as reqd.	6.00	Nos.			
9	ce	Dismantling, disconnecting old damaged inserviceable fl fitting/ exhaust fan/eiling fan/ bulkhead fitting with bracket to as reqd. and depositing in sectional ore.	16.00	Nos.			
10	Si	upplying and fixing following size/ odules, plastic box for modular vitches in recess etc as required.					
a	1	or 2 Module	2.00	Nos.			
ь	3]	Module	2.00	Nos.			
C	61	Module	7.00	Nos.			

SL No	DESCRIPTION	QTY	UNIT		RATE (In words & Figu	res)	AMOUNT
11	Supplying and fixing following rating, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required.			V67-			
a	Double Pole (40A-63A)	1.00	Nos.				
12	Supply, installation, testing and commissioning of following LED lamp in existing fitting as required complete.						
a	20 watt ESENTIAL PHILIPS or equivalent Tube inplace of 36/40 W FL tube	31.00	Nos.				
3	Supply and fixing of following LED light fixture with efficiency >100 lumen/ watt, P.F. >0.95, THD<10%, Electronic driver, LED lamp, reflector, diffusser, MS body/housing holder etc. complete with all fixing accessories and lamp as required complete.						
a	1 X 20W Box type LED tube with fitting	1.00	Nos.				
b I	8 watt recess 300 x 300 mm mounting LED light fixture	4.00	Nos.				
c 3	66 watt recess mounting LED light ixture 600 x 600 mm	11.00	Nos.				
p b	Supplying and fixing following modular witch/ socket on the existing modular late & switch box including connections ut excluding modular plate etc. as equired.						
R	J 11 Telephone socket	1.00	Nos.				
To	otal Rs.	* (

अभिकारी अभिकार (ति) / ए.१ (Elect.) संगोरितारित, मात और सम्मतन, कानपुर १.४४.D., I.I.T. Kampur