

QUOTATION

Name of work :- Shifting of energy meters installed inside houses/garages to outside houses near feeder pillar (House No. 4003 to 4008 Type- IV) for easily taking final/ initial reading of energy meter for billing purpose and to avoid unwanted delay in taking meter reading due to locked.

S.No	DESCRIPTION	Qty	Unit	Rate	Amount
				(In words & Figures)	
1	Supplying and fixing metal box of following sizes (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover in the front I/c painting etc as reqd.				
a)	200 mm x 150 mm x 60 mm deep	2.00	Nos.		
2	Providing & fixing GI earth strip of size 25mm x 5mm in ground / surface / existing pipe as per specification.	6.00	Mtr		
3	Supplying and making indoor end termination with brass compression gland, aluminum lugs for following size of PVC insulated & PVC sheathed/XLPE aluminum cable of 1.1kV grade as reqd.				
a)	2x16 sq.mm.	14.00	Nos.		
4	Providing brick work (in width 225 mm or more) with F.P.S. bricks of class designation 7.5 in cement mortar 1:4 (1 cement : 4 coarse sand) at all levels.	1.00	Cum		
5	Providing 15mm thick cement plaster of mix 1:4 (1 cement : 4 fine sand) at all levels.	3.00	sqm		

S.No	DESCRIPTION	Qty	Unit	Rate	Amount
(In words & Figures)					
6	Supplying and fixing of box of required size made out of 1.6mm thick CRCA sheet duly powder coated LT panel out door mountable (IP 65), lockable double door, of suitable size for meters / DB's/ main switch on suitable bakelite sheet, internal wiring etc. completed as required & fixing the same complete as required.	1.00	Nos.		
7	Supplying and fixing bakelite sheet 6 mm thick complete with required nuts & bolts as reqd.	600.00	Sq.cm		
8	Supplying, fixing, connecting, testing & commissioning 10-60A, single phase meter 230V, 50 hz, digital LCD type electronic kWh electronic meter i/c sealing the same (sealing material will be supplied by the dept.) Gurantee car having serial no. of the meter to be submitted in the dept. etc. as reqd.	1.00	Nos.		
9	Supplying and fixing 40 amp to 63 amp rating 240 volts 'C' curve 10 kA MCB of following pole in the existing MCB DB complete with connection, testing & commissioning etc as reqd.				
a)	Triple pole & Neutral	2.00	Nos.		
10	Supplying and fixing metal enclosure suitable for DP/TPN MCB / DP ELCB on surface or recessed etc as reqd.	2.00	Nos.		

7

S.No	DESCRIPTION	Qty	Unit	Rate	Amount
------	-------------	-----	------	------	--------

(In words & Figures)

11 Dismantling and refixing, connecting, testing & commissioning of any type of electronic kWh electronic meter i/c sealing the same (sealing material will be supplied by the dept.) etc. as reqd. 6.00 Nos.

12 Dismantling damaged DB/TPN Switches/ loose wire boxes along with all accessories and depositing the same in the store as reqd. 2.00 Nos.

Total Rs.

१७
 अधीक्षक अभियन्ता/ए.ई.
 वाणिज्यिक (J.W.D.)
 माहण्डो वास्वान, काणपुर
 I.T., Kanpur
 [Signature]