



विद्युत अभियांत्रिकी विभाग
DEPARTMENT OF ELECTRICAL ENGINEERING
भारतीय प्रौद्योगिकी संस्थान कानपुर
INDIAN INSTITUTE OF TECHNOLOGY KANPUR
कानपुर - 208 016 (भारत)
KANPUR - 208 016 (INDIA)

Phone : (0512)-2596523
2597403
Fax : (0512)-2590063
Webpage : <http://www.iitk.ac.in/ee>

ENQ No.: EE/MJA/VNA/2012

Date: January 6, 2012

Inviting sealed quotation for the Vector Network Analyzer

Sealed Quotations are invited for the Vector Network Analyzer with the specifications given below:

Frequency range	5 KHz - 20 GHz
Number of ports	2 Port
Calibration	Full 2 Port calibration
Time Domain Option	YES
Non Coaxial Media	Waveguide Calibration Support
Calibration Types	SOLT, TRL
IF Bandwidth	10 Hz to 200 KHz
Typical Dynamic Range	70 dB (IF – 3 KHz) at centre frequency
Typical Output Power	10 dBm at centre frequency
Interface	GPIB, LAN, USB

Last date for submission of quote is 16.01.2012.

The Quotation in sealed envelope should be sent to the following address:

Dr. M. J. Akhtar
Asst. Professor
ACES-326
Department of Electrical Engineering
IIT Kanpur, Kanpur-208 016